





## SECTION 1 – STATEMENT OF CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade Name:	<b>“INFUSE” SEALER</b>		
SUPPLIER:	Solutions – Sealers for Stone & Tile.		
ADDRESS:	2/27 Central Park Drive, Yandina QLD 4561, Australia.		
TELEPHONE:	1300 4 STONE (78663)	FAX:	+ 61 7 5446 7381
EMERGENCY PHONE:	13 1126 in Australia 0800 764 766 in New Zealand	Email:	info@solutionssealers.com.au
Substance:	solvent based sealer	Product Use:	Paint for impregnation and coating of tiles and mineral based pavers.
Creation Date:	August 2022	Revision Date:	August 2027

## SECTION 2 – HAZARDS IDENTIFICATION

Classification of the substance or mixture	
Poisons Schedule	S5 (PAINTS EXEMPT)
Dangerous Goods	Classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail". Flammable Class 3.2
GHS Classification	Based on available information, this material is classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS7) including Work, Health and Safety regulations, Australia. <ul style="list-style-type: none"> <li>• Flammable Liquids Category 2</li> <li>• Eye Irritation Category 2</li> </ul>
Label elements	
GHS label pictograms	  GHS02                      GHS07
Signal word	<b>DANGER</b>
Hazard statement(s)	
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation
Precautionary statement(s): General	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
Precautionary statement(s): Prevention	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources — No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.



# SAFETY DATA SHEET



Date of Issue: August 2022

Version: #2.0

Page 2 of Total 8

<b>P241</b>	Use explosion-proof [electrical/ventilating/lighting/...] equipment.
<b>P242</b>	Use non-sparking tools.
<b>P243</b>	Take action to prevent static discharges.
<b>P280</b>	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
<b>P264</b>	Wash hands and skin thoroughly after handling.
<b>Precautionary statement(s): Response</b>	
<b>P303+P361+P353</b>	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
<b>P370+P378</b>	In case of fire: Use alcohol resistant foam, water spray or fog, dry chemical powder or carbon dioxide to extinguish.
<b>P305 + P351 + P338</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>P337 + P313</b>	If eye irritation persists: Get medical advice/attention.
<b>Precautionary statement(s): Storage</b>	
<b>P403 + P235</b>	Store in a well-ventilated place. Keep cool.
<b>Precautionary statement(s): Disposal</b>	
<b>P501</b>	Dispose of contents/ container in accordance with local regulations.
<b>Note</b>	
<b>IMPORTANT</b>	This SDS and the Hazard Classifications contained therein, only apply to the product in its concentrated form, as supplied.

## SECTION 3 – COMPOSITION AND INFORMATION ON INGREDIENTS

Ingredients:	CAS Number:	Proportion:
Ethanol	64-17-5	>60 % w/w
Siloxane blend	proprietary	10 – 30 % w/w

NOTE: Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication "List of Designated Hazardous Substances" or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication "Approved Criteria for Classifying Hazardous Substances", or have been found NOT to meet the criteria of a dangerous substance as defined in the GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS7). Listed ingredients may be below the cut-off concentrations for classification as hazardous, but are listed for information purposes and for additive effects.

## SECTION 4 – FIRST AID MEASURES

<b>Inhalation</b>	If exposure to vapour, mists or fumes causes drowsiness, headache, blurred vision or irritation of the eyes, nose or throat, remove immediately to fresh air. Keep patient warm and at rest. If any symptoms persist, obtain medical advice. Unconscious casualties must be placed in the recovery position. Monitor breathing and pulse rate and if breathing has failed, or is deemed inadequate, respiration must be assisted, preferable by the mouth to mouth method. Administer external cardiac massage if necessary. Seek medical attention immediately.
<b>Skin contact</b>	Wash contaminated skin with plenty of soap and water. Remove contaminated clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation, burning or redness persists.
<b>Eye contact</b>	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove



# SAFETY DATA SHEET



Date of Issue: August 2022

Version: #2.0

Page 3 of Total 8

	contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. If symptoms persist, seek medical attention.
<b>Ingestion</b>	If swallowed, do NOT induce vomiting. Transport to nearest medical facility for additional treatment. If vomiting occurs spontaneously, keep head below hips to prevent aspiration.
<b>Advice to Doctor</b>	Treat symptomatically.
<b>Scheduled Poisons</b>	Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand can provide additional assistance for scheduled poisons. (Phone Australia 131126 or New Zealand 0800 764 766).
<b>First Aid Facilities</b>	Eye wash station. Normal washroom facilities.

## SECTION 5 – FIRE FIGHTING MEASURES

<b>Fire and Explosion Hazards</b>	Highly flammable liquid. Product may form flammable/explosive vapour-air mixture during use.
<b>Extinguishing Media</b>	Alcohol resistant foam, water spray or fog, dry chemical powder or carbon dioxide. Do not use water in a jet.
<b>Fire Fighting</b>	Wear full protective clothing and self-contained breathing apparatus. Hazchem code 3Y.
<b>Flash Point</b>	Flash point ~15 °C

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

<b>Emergency Procedures</b>	<p>HAZCHEM code : •3YE            3 = use foam extinguisher to fight fires.            Y = Yes – risk of violent reaction, recommend breathing apparatus, contain.</p> <ul style="list-style-type: none"> <li>• Shut off engine and electrical equipment off.</li> <li>• No smoking or naked lights within 50 metres.</li> <li>• Move people from immediate area; keep upwind.</li> <li>• Send messenger to notify fire brigade and police.</li> <li>• Tell them location, material quantity, UN number and emergency contact. Indicate condition of vehicle and damage or injuries observed.</li> <li>• Warn other traffic.</li> <li>• Ensure an escape path is always available from any fire. Fires in confined spaces should be dealt with by trained personnel wearing approved breathing apparatus.</li> <li>• If gas has ignited, do not attempt to extinguish but stop gas flow and allow to burn out. Use water spray to cool heat exposed bulk tanks, and to protect surrounding areas and personnel effecting shut-off. DO NOT USE water jets.</li> <li>• Every precaution must be taken to keep containers cool to avoid the possibility of a boiling liquid expanding vapour explosion (BLEVE).</li> <li>• Ensure good ventilation.</li> <li>• Where appropriate, use water spray to disperse the gas or vapour and to protect personnel attempting to stop leakage.</li> <li>• Vapour may collect in any confined space.</li> </ul>
	<p><b>Occupational Release</b></p> <ul style="list-style-type: none"> <li>• Minor spills do not normally need any special clean-up measures.</li> <li>• In the event of a major spill, prevent spillage from entering drains or water-</li> </ul>



# SAFETY DATA SHEET



Date of Issue: August 2022

Version: #2.0

Page 4 of Total 8

courses.

- If spillage has occurred in a confined space, ensure adequate ventilation and check that a safe, breathable atmosphere is present before entry.
- Do not enter a vapour cloud except for rescue; self-contained breathing apparatus must be worn.
- Wear protective clothing. See Exposure Controls/Personal Protection (section 8) of the Safety Data Sheet.
- In the event of a leak, contact the appropriate authorities.
- Small quantities of spilled liquid may be allowed to evaporate.
- Vapour should be dispersed by effective ventilation.
- If contamination of sewers or waterways has occurred advise the local emergency services.
- In the event of a large spillage notify the local environment protection authority or emergency services.

## SECTION 7 – HANDLING AND STORAGE

### Handling

- Ensure good ventilation.
- Avoid inhalation of vapour.
- Avoid contact with liquid.
- Avoid contact with eyes.

### Storage

- Refer to relevant regulations for storage and transport requirements.
- Store in a cool place and out of direct sunlight.
- Store in a well ventilated area.
- Store away from sources of heat or ignition, oxidising agents and combustible materials.
- Keep containers closed at all times – check regularly for leaks.

## SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

### Exposure Limits

National Occupational Exposure Limits, as published by National Occupational Health & Safety Commission:

#### Time-weighted Average (TWA):

None established for product.

- Ethanol: 1000ppm 1880mg/m3

#### Short Term Exposure Limit (STEL):

None established for product.





### Ventilation

Ensure ventilation is adequate to maintain air concentrations below exposure standards. Use only in a well-ventilated area. Ensure airflow, where this product is used, is directed away from the operators.

### Personal Protective Equipment

Use good occupational work practice. The use of protective clothing and equipment depends upon the degree and nature of exposure. The following protective equipment should be available;



<b>Eye Protection</b> 	<p>Safety glasses should be used for handling concentrate in quantity, cleaning up spills, decanting, etc. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.</p>
<b>Hand Protection</b> 	<p>Use solvent resistant gloves, nitrile for longer term protection or PVC and neoprene for incidental splashes – to handle in quantity, clean up spills, decanting, etc. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.</p>
<b>Body Protection</b> 	<p>Suitable protective workwear, e.g. rubber or plastic apron, sleeves, boots and cotton overalls buttoned at neck and wrist are recommended. Chemical resistant apron is recommended where large quantities are handled.</p>
<b>Respirator</b> 	<p>If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.</p>

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State</b>	Non-viscous liquid	<b>Colour</b>	Clear
<b>Odour</b>	characteristic odour	<b>Specific Gravity</b>	0.80 – 0.85 @ 25 °C
<b>Boiling Point</b>	78 – 180 °C	<b>Freezing Point</b>	Not available
<b>Vapour Pressure</b>	Not available	<b>Vapour Density</b>	Not available
<b>Flash Point</b>	~15 °C	<b>Flammable Limits</b>	3.5 - 19.0 % v/v (ethanol)
<b>Water Solubility</b>	Miscible	<b>pH</b>	Not available
<b>Volatile Organic Compounds (VOC)</b>	~85 % v/v	<b>Per Cent Volatile</b>	~85 % v/v
<b>Viscosity</b>	Not available	<b>Odour Threshold</b>	Not available

## SECTION 10 – STABILITY AND REACTIVITY

<b>Reactivity</b>	Stable at normal temperatures and pressure.
<b>Conditions to Avoid</b>	Avoid heat, sparks, open flames and other ignition sources.
<b>Incompatibilities</b>	Avoid contact with strong oxidizing agents (ie: Chlorine, Pool chlorine, Nitric Acid, etc).
<b>Hazardous Decomposition</b>	Thermal decomposition is highly dependent on conditions. A complex mixture of airborne solids, liquids, gases, including carbon monoxide, carbon dioxide and other organic compounds will be evolved when this material undergoes combustion or thermal or oxidative degradation.



# SAFETY DATA SHEET



Date of Issue: August 2022

Version: #2.0

Page 6 of Total 8

## SECTION 11 – TOXICOLOGICAL INFORMATION

### POTENTIAL HEALTH EFFECTS

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

<b>Inhalation</b>	Breathing of high vapour concentrations may cause central nervous system depression resulting in dizziness, light-headedness, headache, nausea and loss of coordination.
<b>Skin contact</b>	Mild irritant. Prolonged contact may cause defatting of skin which can lead to dermatitis.
<b>Eye contact</b>	Vapours may irritate the eyes. Liquid or mists may severely irritate or damage the eyes.
<b>Ingestion</b>	Expected to be of low toxicity - LD50 ATE Oral (rat) > 5,000mg/kg. Low toxicity. Ingestion may result in gastrointestinal irritation, nausea, vomiting, abdominal pain, diarrhoea, headache, dizziness and drowsiness with large doses.
<b>Chronic exposure</b>	Liver damage may occur with high level of chronic ingestion. Hydrolysis product / impurity: Methanol (CAS 67-56-1) is readily and rapidly absorbed at all exposure routes and is toxic by all routes. Methanol may cause irritation of the mucosa, as well as nausea, vomiting, headaches, vertigo and visual disorders, including blindness (irreversible damage to the optic nerve), acidosis, spasms, narcosis and coma. There may be a delay in the onset of these effects after exposure.
<b>Toxicology Information</b>	Not toxic, based on ingredients. Oral LD50: >5,000 mg/kg.
<b>Carcinogen Status</b>	
<b>NOHSC</b>	No significant ingredient is classified as carcinogenic by NOHSC.
<b>NTP</b>	No significant ingredient is classified as carcinogenic by NTP.
<b>IARC</b>	No significant ingredient is classified as carcinogenic by IARC.
<b>Respiratory sensitisation</b>	Not expected to be a respiratory sensitizer.
<b>Skin Sensitisation</b>	Not expected to be a skin sensitizer.
<b>Germ cell mutagenicity</b>	Not considered to be a mutagenic hazard.
<b>Reproductive Toxicity</b>	Not considered to be toxic to reproduction.
<b>STOT-single exposure</b>	Not expected to cause toxicity to a specific target organ.
<b>STOT-repeated exposure</b>	Not expected to cause toxicity to a specific target organ.
<b>Aspiration Hazard</b>	Not expected to be an aspiration hazard.

## SECTION 12 – ECOLOGICAL INFORMATION

<b>Acute Aquatic Toxicity Product (as sold)</b>	No expected damaging effects to aquatic organisms. According to current knowledge adverse effects on water purification plants are not expected.
<b>Persistence and degradability</b>	Contact with water liberates methanol and silanol- and/or siloxanol-compounds. Silicone content: biologically not degradable. Elimination by adsorption to activated sludge. The product of hydrolysis (methanol) is readily biodegradable.
<b>Bio accumulative potential</b>	Has the potential to bioaccumulate.
<b>Mobility in soil</b>	Spillages are unlikely to penetrate the soil. Floats on water.
<b>Other adverse effects</b>	Not available
<b>Environmental Protection</b>	Do not discharge this material into waterways.



# SAFETY DATA SHEET



Date of Issue: August 2022

Version: #2.0


Page 7 of Total 8

## SECTION 13 – DISPOSAL CONSIDERATIONS

'EMPTY' container warning: 'empty' containers retain residue (liquid and/or vapour) and can be dangerous.  
DO NOT PRESSURISE CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, AND OTHER SOURCES OF IGNITION, THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.  
Refer to State And Waste Management Authority.

## SECTION 14 – TRANSPORT INFORMATION

### Labels Required

ADG	 CLASS 3 .2 FLAMMABLE
IMDG Marine Pollutant	No
HAZCHEM	•3YE
<b>Land Transport (ADG)</b>	
UN Number	1263
Proper Shipping Name	PAINTS
ADG Code	CLASS 3 .3 FLAMMABLE
HAZCHEM Code	•3YE
Special Provisions	
Packing Group	II
Packaging Method	P001 IBC02
Segregation	Segregation Class 3 – Flammable liquid shall not be loaded in the same vehicle or packed in the same freight container with: Class 1, Explosives Class 2.1, Flammable Gases, if both the Class 3 and Class 2.1 dangerous goods are in bulk Class 2.3, Toxic Gases Class 4.2 Spontaneously Combustible Substances Class 5.1 Oxidising Agents and Class 5.2, Organic Peroxides Class 6 Toxic Substances (where the flammable liquid is nitromethane) Class 7 Radioactive Substances. Foodstuff and foodstuff empties.

## SECTION 15 – REGULATORY INFORMATION

GHS Classification	Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
SUSMP	S5 (PAINTS – EXEMPT)
ADG Code	CLASS 3.2 FLAMMABLE
AICS	All ingredients present on AICS.





# SAFETY DATA SHEET



Date of Issue: August 2022

Version: #2.0

Page 8 of Total 8

## SECTION 16 – OTHER INFORMATION

<b>Issue Date</b>	10 <sup>th</sup> August 2022
<b>Version Number</b>	V 2.0 GHS7 classification
<b>Prepared by</b>	This Safety Data Sheet has been prepared by Tuwai Specialties on behalf of its client. <a href="mailto:tuwai.wt@bigpond.com">tuwai.wt@bigpond.com</a>
<b>Abbreviations and acronyms</b>	<p><b>ADG Code:</b> Australian Code for the Transport of Dangerous Goods by Road and Rail.</p> <p><b>AICS:</b> Australian Inventory of Chemical Substances.</p> <p><b>CAS Number:</b> Chemical Abstracts Service Registry Number.</p> <p><b>GHS:</b> Globally Harmonized System of Classification and Labelling of Chemicals</p> <p><b>HAZCHEM:</b> An emergency action code of numbers and letters which gives information to emergency services.</p> <p><b>HSIS:</b> Hazardous Substances Information System</p> <p><b>IARC:</b> International Agency for Research on Cancer.</p> <p><b>NOHSC:</b> National Occupational Health and Safety Commission.</p> <p><b>NTP:</b> National Toxicology Program (USA).</p> <p><b>SDS:</b> Safety Data Sheet</p> <p><b>STEL:</b> Short Term Exposure Limit.</p> <p><b>SUSMP:</b> Standard for the Uniform Scheduling of Medicines and Poisons.</p> <p><b>TWA:</b> Time Weighted Average.</p> <p><b>UN Number:</b> United Nations Number.</p>
<b>Literature references</b>	<p>Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice ( Safe Work Australia)</p> <p>GHS Hazardous Chemical Information List (Safe Work Australia)</p> <p>Guidance on the Classification of Hazardous Chemicals under the WHS Regulations.</p> <p>Global Harmonized System of Classification and Labelling of Chemicals (GHS)</p> <p>“Australian Exposure Standards”. Safework Australia</p> <p>Australian Code For The Transport Of Dangerous Goods By Road And Rail</p> <p>Standard for the Uniform Scheduling of Medicines and Poisons</p> <p>Safety Data Sheets – individual raw materials – Suppliers</p> <p>HSIS – Hazardous Substance Information System – National Safe Work Australia Data Base.</p> <p>HCIS – Hazardous Chemical Information System – National Safe Work Australia Data Base.</p>
<b>Disclaimer</b>	This SDS summarizes at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since the supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier.

End of SDS